

**SPEED POST**

**OFFICE OF THE CMD (WZ)  
M.P. PASCHIM KSHETRA VIDYUT VITARAN CO. LTD.,  
GPH COMPOUND, POLOGROUND, INDORE**

(EPABX Phone No: 0731-2422045, 2423263, 2422544, 2423577 Extn. 151 & 303 Fax No: 2423300)

No. CMD/WZ/06/PUR/T. Enq-422/5971

Indore, date: 05.04.2010

**Extension of due date for tender enquiry No. CMD/WZ/06/PUR/T. Enq-422/3987 dated 09.03.2010**

To,

M/s -----  
-----  
-----

**Sub:- Tender enquiry No. CMD/WZ/06/PUR/T. Enq-422/3987 dated 09.03.2010 for supply of 3 phase, 4/3 wire HT Meters, 63.5 volt/110 volts, 1 Amp, 0.2S accuracy class along with GSM /GPRS enabled modem suitable for meter end with software and accessories.**

Ref:- This office letter No. CMD/WZ/06/PUR/T. Enq-422/5489 dated 29.03.2010.

Dear Sir's,

Refer to this office tender enquiry No. CMD/WZ/06/PUR/T. Enq-422/3987 dated 09.03.2010 & extension of due date till 05.04.2010 vide No. CMD/WZ/06/PUR/T. Enq-422/5489 dated 29.03.2010 for supply of 3 phase, 4/3 wire HT Meters, 63.5 volt/110 volts, 1 Amp, 0.2S accuracy class along with GSM /GPRS enabled modem suitable for meter end with software and accessories due for opening on dated 05.04.2010, it is to intimate that the due date of selling / submission / opening of the tender enquiry is extended up to 12.04.2010. The timing of selling / submission / opening will remain same.

<b>T. Enq. No.</b>	<b>Original due date</b>	<b>Extended due date</b>
422	05.04.2010	12.04.2010

Thanking You,

Yours faithfully,

Superintending Engineer (Pur)  
O/o CMD (WZ), MPPKVCL,  
Indore