

**SPEED POST**

**OFFICE OF THE CMD (WZ)  
M.P. PASCHIM KSHETRA VIDYUT VITARAN CO. LTD.,  
GPH COMPOUND, POLOGROUND, INDORE**

(EPABX Phone No: 0731-2422045, 2423263, 2422544, 2423577 Extn. 151 & 303 Fax No: 2423300)

No. CMD/WZ/06/PUR/T. Enq-482/2487

Indore, date: 03.02.2011

**Extension of due date for tender enquiry No. CMD/WZ/06/PUR/T. Enq-482/861 dated  
13.01.2011**

To,

M/s -----  
-----  
-----


**Sub:- Tender enquiry No. CMD/WZ/06/PUR/T. Enq-482/861 dated 13.01.2011 for supply of 3 phase, 4/3 wire HT Meters, 63.5 volt/110 volts, 1 Amp, 0.2S accuracy class along with GSM /GPRS enabled modem suitable for meter end with software and accessories.**

Dear Sir's,

Refer to this office tender enquiry No. CMD/WZ/06/PUR/T. Enq-482/861 dated 13.01.2011 for supply of 3 phase, 4/3 wire HT Meters, 63.5 volt/110 volts, 1 Amp, 0.2S accuracy class along with GSM /GPRS enabled modem suitable for meter end with software and accessories due for opening on dated 04.02.2011, it is to intimate that the due date of selling / submission / opening of the tender enquiry is extended up to 15.02.2011. The timing of selling / submission / opening will remain same.

T. Enq. No.	Original due date	Extended due date
482	04.02.2011	15.02.2011

Thanking You,

  
Superintending Engineer (Pur)  
O/o CMD (WZ), MPPKVCL,  
Indore